	Application No.	Applicant(s)	
Notice of Allowability	10/004,131	MATSUNAMI ET AL.	
	Examiner	Art Unit	
	Eron J. Sorrell	2182	<u> </u>
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>RCE filed 11/30/06.</u>			
2. The allowed claim(s) is/are <u>6,8,11-13,15 and 17</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
· · · · · · · · · · · · · · · · · · ·			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
			•
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •	•
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Dat 		
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amendr	nent/Comment	
Paper No./Mail Date 11/22/06 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material	9.		
	·		

Application/Control Number: 10/004,131
Art Unit: 2182

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Claims

At claim 1, line 11, replace the word "serves" with "servers."

At claim 1, line 13, insert the word "array" between the words "disk" and "controllers."

Examiner's Remarks

The Examiner's amendment above was made to correct a minor typographical error and to improve the consistency of claim terminology and are purely non-substantive as they do not affect the scope of the claimed invention.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance: The prior art of record, including the documents submitted in applicant's IDS filed 11/22/06, and newly cited

Art Unit: 2182

document US Patent No. 6,779,063 to Yamamoto, fails to teach a storage system comprising a first connection unit, between a set of disk drive units and a plurality of disk array controllers, that is configured such that any of the disk array controllers can communicate with any of the disk drive units; and a second interface between a plurality of file servers and the disk drive units, wherein any of the file servers can communicate with any of the disk drives via a connection that does not include any of the disk array controllers in combination with the other recited claim elements (emphasis added). U.S. Patent No. 6,779,063 to Yamamoto teaches a similar system comprising the disk drives, the plurality of disk array controllers, the file servers, and at a first connection unit, however, the system of Yamamoto establishes a connection between the any of the file servers and any of the disk drives that includes the disk array controllers (emphasis added).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2182

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eron J. Sorrell whose telephone number is 571 272-4160. The examiner can normally be reached on Monday-Friday 8:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Huynh can be reached on 571-272-4147. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KIM HUYNH SUPERVISORY PATENT EXAMINER

1/3/108